## SEQUENCE LISTING

<110> Rossi, John

Michienzi, Alessandro

- <120> NUCLEOLAR TARGETING OF THERAPEUTICS AGAINST HIV
- <130> 1954-330
- <140> To be assigned
- <141> 2001-05-25
- <150> 60/206,976
- <151> 2000-05-25
- <160> 12
- <170> PatentIn version 3.0
- <210> 1
- <211> 52
- <212> DNA
- <213> synthetic construct
- <400> 1 cttgcaatga tgtcgtaatt tgcgtcttac tctgttctca gcgacagttg aa

2	
59	
DNA	
synthetic construct	
2	5 9
get tegreeceae gyaecearea styrrytyty attiteaaet gregoryay	<i>J</i> :
3	
52	
DNA	
synthetic construct	
3	52
acy ggcacacaaa accegeegee ageaageegg cacagaagge eg	JZ
4	
50	
DNA	
synthetic construct	
4 otc agtaagaatt ttogtoaaco ttotgtacca gottactgac	50
ere agraagaare reegreadee reergeaced gereacegae	90
5	
29	
DNA	
synthetic construct	
5 get cettgeaatg atgtegtaa	29
	DNA synthetic construct  2 gtt tcgtcctcac ggactcatca stgttgtgtg attttcaact gtcgctgag  3 52 DNA synthetic construct  3 acg ggcacacaaa acctgctgtc agtaagctgg tacagaaggt tg  4 50 DNA synthetic construct  4 ctc agtaagaatt ttcgtcaacc ttctgtacca gcttactgac  5 29 DNA synthetic construct

<210>	6
<211>	30
<212>	ANC
<213>	synthetic construct
	6 aagc tttttcttgc tcagtaagaa
<210>	7
<211>	36
<212>	DNA
<213>	synthetic construct
<400>	7 ccgt cgaccttgca atgatgtcgt aatttg
<210>	8
<211>	36
<212>	DNA
<213>	synthetic construct
	8 aga aaaaatttot tgotoagtaa gaattt
<210>	
<211>	53
<212>	DNA

<213> synthetic construct

- <220>
- <221> modified base
- <222> (2)..(2)
- <223> Aminoallyl T.
- <220>
- <221> modified\_base
- <222> (13)..(13)
- <223> Aminoallyl T.
- <220>
- <221> modified\_base
- <222> (24)..(24)
- <223> Aminoallyl T.
- <220>
- <221> modified\_base
- <222> (41)..(41)
- <223> Aminoallyl T.
- <220>
- <221> modified\_base
- <222> (52)..(52)
- <223> Aminoallyl T.
- <400> 9

gntctctccc tencactece caanaeggag agaagaaega neateaatgg eng

5

- <210> 10
- <211> 56
- <212> DNA
- <213> synthetic construct
- <220>
- <221> modified base
- <222> (1)..(1)
- <223> Aminoallyl T.
- <220>
- <221> modified\_base
- <222> (14)..(14)
- <223> Aminoallyl T.
- <220>

- <221> modified\_base
- <222> (30)..(30)
- <223> Aminoallyl T.
- <220>
- <221> modified\_base
- <222> (42)..(42)
- <223> Aminoallyl T.
- <220>
- <221> modified base
- <222> (55)..(55)
- <223> Aminoallyl T.

	<400> ntttgt	10 gtge eegnttegte eteaeggaen eateagtgtt gngtgatttt eaaeng	56
	<210>	11	
	<211>	50	
	<212>	RNA	
	<213>	synthetic construct	
•	<220>		
•	<221>	misc_feature	
<	<222>	(15)(15)	
<	<223>	This is a C for wild-type and G for the mutant.	
	<400>	11 acac aacasugaug agucegugag gaegaaaegg geacacaaaa	50
	aaaauca	acac aacasugaug aguccyugag gacgaaacgg gcacacaaaa	50
<	<210>	12	
<	<211>	27	
<	<212>	RNA	
4	<213>	synthetic construct	
<	<220>		
<	<221>	misc_feature	
<	<222>	(13)(13)	
<	<223>	This is C for the wild-type and G for the mutant.	
	(400> ccagauc	12 cuga gesugggage ueueugg	27
	_		